



*The bonding power*

SAFETY DATA SHEET

According to 1907/2006/EC, Article 31

Version 3-13693

Date: 21 January 2017

## 1. IDENTIFICATION OF THE MATERIALS AND SUPPLIER

### 1.1. Product identifier

**Product name:** STRONG AS NAILS MULTI PURPOSE

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended use:** Solvent based construction adhesive

### 1.3. Details of the supplier of the safety data sheet

**Supplier:** Moggens DK

**Street address :** Hammerholmen 44,  
2650 København, Danmark

**Telephone number:** +4527245345

**Email:** info@staerk.co

**Website:** [www.staerk.co](http://www.staerk.co)

### 1.4. Emergency telephone number

+4527245345

## 2.HAZARDS IDENTIFICATIONS

### 2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Skin Sens. 1 H317 May cause an allergic skin reaction

Classification according to Directive 67/548/EEC or Directive 1999/45/EC: not applicable

Information concerning particular hazards for human and environment: not applicable

Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

### 2.2. Label elements

Label In Accordance With (EC) No. 1272/2008



Signal Word: Danger

Hazard Statements: H225 Highly flammable liquid and vapour. H315 Causes skin irritation. H336 May cause drowsiness or dizziness. H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements: P102 Keep out of reach of children. P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/protective clothing/eye protection/face protection. P261 Avoid breathing vapours. P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501 Dispose of contents/container in accordance with local regulations

Supplementary Precautionary Statements: P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P273 Avoid release to the environment. P264 Wash contaminated skin thoroughly after handling. P370+378 In case of fire: Use foam, carbon dioxide, dry powder or water fog for

extinction. P302+352 IF ON SKIN: Wash with plenty of soap and water. P304+340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P332+313 If skin irritation occurs: Get medical advice/attention. P362 Take off contaminated clothing and wash before reuse. P403+233 Store in a well-ventilated place. Keep container tightly closed.

### 2.3. Other hazards

Vapours are heavier than air and can travel long distances to a source of ignition Pilot lights can ignite the vapour.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

#### 3.1. Chemical characterization: Mixtures

Description: Mixture of substances listed bellow with nonhazardous additions.

Dangerous components :

CAS: 41556-26-7 Pentamethylpiperidylsebazat

EINECS: 255-437-1 Xi R43; N R50/53

Aquatic Acute 1; H400; Aquatic Chronic 1; H410; Skin Sens. 1A; H317

CAS: 932742-30-8 Isophoronedialdimine

EINECS: 255-437-1 Xi R43; N R52/53

H412; Aquatic Chronic 3; Skin Sens. 1B; H317

### 4. FIRST AID MEASURES

#### 4.1. Description of first aid measures

Inhalation: Move the exposed person to fresh air at once. Get medical attention if any discomfort continues. Ingestion: DO NOT induce vomiting. Get medical attention immediately. Skin contact: Promptly flush contaminated skin with water. Promptly remove clothing if soaked through and flush the skin with water. Get medical attention if irritation persists after washing. Eye contact: Rinse the eye with water immediately. Continue to rinse for at least 15 minutes and get medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Inhalation

No specific symptoms noted.

Ingestion

No specific symptoms noted.

Skin contact

No specific symptoms noted.

Eye contact

No specific symptoms noted.

#### 4.3. Indication of any immediate medical attention and special treatment needed

### 5. FIRE FIGHTING MEASURES

### 5.1. Extinguishing media

Extinguishing media Foam. Powder.

### 5.2. Special hazards arising from the substance or mixture

Specific hazards Fire creates: Toxic gases/vapours/fumes of: Carbon dioxide (CO<sub>2</sub>). Carbon monoxide (CO).

### 5.3. Advice for firefighters

Protective equipment for fire-fighters Wear self contained breathing apparatus

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid skin and eye contact. Ensure adequate ventilation. Wear personal protective equipment. Wear self contained breathing apparatus. Avoid breathing vapour

### 6.2. Environmental precautions

Prevent entry into drains and water courses.

### 6.3. Methods and material for containment and cleaning up

Wear necessary protective equipment. Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Absorb onto sand, earth or absorbent granules. Pick up with non-sparking tools and place into metal containers with sealable lids. Mark containers with details of hazards and store in designated area ready for disposal. Runoff or release to sewer, waterway or ground is forbidden.

### 6.4. Reference to other sections

Wear protective clothing as described in Section 8 of this safety data sheet.

## 7. HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Keep away from heat, sparks and open flame. Provide good ventilation. Avoid spilling, skin and eye contact. Avoid acids, moisture

and combustible materials.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep away from oxidisers, heat and flames. Isolate from other materials. Store in tightly closed original container in a dry, cool and well-ventilated place. Ground container and transfer equipment to eliminate static electric sparks. Storage Class

### 7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

## 8. EXPOSURE CONTROL / PERSONAL PROTECTION

### 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:  
Additional information: The lists valid during the making were used as basis.

### 8.2 Exposure controls

Personal protective equipment

General protective and hygienic measures

The usual precautionary measures are to be adhered to when handling chemicals. Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Respiratory protection:

This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used.

Protection of hands: Protective gloves.

Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Butyl rubber, BR Fluorocarbon rubber (Viton) Nitrile rubber, NBR

Natural rubber, NR

Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection: Safety glasses.

Body protection: Protective workclothing.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## 9.1. Information on basic physical and chemical properties

Appearance	Pasty
Odour	Characteristic.
Colour	Beige
Flash point	Undetermined
Self-igniting	Product is not self igniting
Danger of explosion	Product is not explosive
Density at 20°C	1.36 g/cm
Solubility in water	Hydrolized

## 9.2. Other information

# 10. STABILTY AND REACTIVITY

### 10.1.Reactivity

No data available

### 10.2.Chemical stability

Stable under normal temperature conditions.

### 10.3.Possibility of hazardous reactions

Reacts with alcohols, amines.

### 10.4.Conditions to avoid

Avoid heat, flames and other sources of ignition. Avoid contact with strong oxidisers.

### 10.5.Incompatible materials

If isocyanate gets in contact with humidity, carbon dioxide is released. The carbon dioxide causes an overpressure in closed containers

### 10.6.Hazardous decomposition products

Not known.

# 11. TOXICOLOGICAL INFORMATION

## 11.1. Information on toxicological effects

### Chronic effects on human:

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label.

Symptoms or effects that may arise if the product is mishandled

**Ingestion:**

Small amounts transferred to the mouth by fingers during use should not injure. Swallowing large amounts may cause digestive discomfort.

**Eye contact:**

Cause eye irritation.

**Skin contact:**

Repeated or prolonged skin contact may lead to irritation.

**Inhalation:**

May cause respiratory track irritation. **Carcinogenicity:**

Not listed as a suspected or confirmed carcinogen by ACGIH, IARC, NTP, OSHA.

**Mutagenicity:** N/A

**Reproductive toxicity:** N/A

**Teratogenicity:** N/A

---

**12. ECOLOGICAL INFORMATION**

---

**Ecotoxicity**

The product contains a substance which may cause long term adverse effects in the aquatic environment.

**12.1.Toxicity**

No data available

**12.2.Persistence and degradability****Degradability**

There are no data on the degradability of this product.

**12.3.Bioaccumulative potential****Bioaccumulative potential**

No data available on bioaccumulation.

**12.4.Mobility in soil**

No data available.

**12.5.Results of PBT and vPvB assessment**

No data available.

#### **12.6. Other adverse effects**

Not available.

### **13. DISPOSABLE CONSIDERATIONS**

This material is classified as special waste as defined by Special Waste Regulations 1996 and must be disposed of by an authorised contractor.

#### **13.1. Waste treatment methods**

Dispose of waste and residues in accordance with local authority requirements.

### **14. TRANSPORT INFORMATIONS**

#### **14.1. UN number**

Not Applicable.

#### **14.2. UN proper shipping name**

Not Applicable.

#### **14.3. Transport hazard class(es)**

No Transport warning sign required.

#### **14.4. Packing group**

Not Applicable.

#### **14.5. Environmental hazards**

Not Environmentally Hazardous Substance/Marine  
Pollutant

#### **14.6. Special precautions for user**

Not applicable.

#### **14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

## 15. REGULATORY INFORMATIONS

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Statutory Instruments

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716).

#### Approved Code Of Practice

Classification and Labelling of Substances and Preparations Dangerous for Supply. Safety Data Sheets for Substances and Preparations.

#### EU Legislation

Dangerous Substance Directive 67/548/EEC. Dangerous Preparations Directive 1999/45/EC. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments

### 15.2 Chemical Safety Assessments.

## 16. OTHER INFORMATIONS

#### General information

This product should be used as directed by Moggens DK Ltd. For further information consult the product data sheet or contact Technical Services.

**Date of preparation:**

15 January 2014.

**SDS revisions:**

Safety Data Sheets are updated at least every 5 years.

This SDS summaries to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. MoggensDk cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

**Key / legend:**

## Risk Phrases In Full

R10 - Flammable.

R20/21 - Harmful by inhalation and in contact with skin.

R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R48/20 - Harmful: danger of serious damage to health by prolonged exposure through inhalation.

R65 - Harmful: may cause lung damage if swallowed.

R11 - Highly flammable.

R36 - Irritating to eyes.

R38 - Irritating to skin.

R62 - Possible risk of impaired fertility.

R66 - Repeated exposure may cause skin dryness or cracking.

R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R67 - Vapours may cause drowsiness and dizziness.

## Hazard Statements In Full

EUH066 - Repeated exposure may cause skin dryness or cracking.

H225 - Highly flammable liquid and vapour.

H226 - Flammable liquid and vapour.

H304 - May be fatal if swallowed and enters airways.

H312 - Harmful in contact with skin.

H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

H332 - Harmful if inhaled.

H335 - May cause respiratory irritation

H336 - . May cause drowsiness or dizziness.

H361f - Suspected of damaging fertility.

H373 - May cause damage to organs <<Organs>> through prolonged or repeated exposure.

H411 - Toxic to aquatic life with long lasting effects.

H412 - Harmful to aquatic life with long lasting effects.

**Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Skin Sens. 1A: Sensitisation - Skin, Hazard Category 1A

Skin Sens. 1B: Sensitisation - Skin, Hazard Category 1B

Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3